

2007-2008

DLHS - 3



Government of India

Ministry of Health and
Family Welfare

PROVISIONAL

DISTRICT LEVEL HOUSEHOLD AND FACILITY SURVEY



FACT SHEET INDIA



INTERNATIONAL INSTITUTE FOR POPULATION SCIENCES
(Deemed University)
MUMBAI

Introduction

The District Level Household and Facility Survey is one of the largest ever demographic and health surveys carried out in India, with a sample size of about seven lakh households covering all the districts of the country. The Ministry of Health and Family Welfare (MOHFW), Government of India, initiated District Level Household Surveys (DLHS) in 1997 to provide district level estimates on health indicators to assist policy makers and program administrators in decentralized planning, monitoring and evaluation. The present District Level Household Survey (DLHS-3) is third in the series preceded by DLHS -1 in 1998-99 and DLHS-2 in 2002-04. DLHS-3, like other two earlier rounds, is designed to provide estimates on maternal and child health, family planning and other reproductive health services. In addition, DLHS-3 provides information related to the programmes of National Rural Health Mission (NRHM). Unlike other two rounds in which currently married women age 15-44 years were interviewed, DLHS-3 interviewed ever-married women (age 15-49). In DLHS-3, along with ever-married women age 15-49, never married women (age 15-24) are also included as respondents. DLHS-3 adopts a multi-stage stratified probability proportion to size sampling design.

Bilingual questionnaires in local language and English pertaining to Household, Ever Married Women (age 15-49), Unmarried Women (age 15-24), Village, and Health Facility questionnaires were used in DLHS-3. In the household questionnaire, information on all members of the household and socio-economic characteristics of the household, assets possessed, number of marriages and deaths in the household since January 2004, etc. were collected. The ever-married women's questionnaire contained information on women's characteristics, maternal care, immunization and childcare, contraception and fertility preferences, reproductive health including knowledge about HIV/AIDS. The unmarried women's questionnaire contained information on women's characteristics, family life education, awareness about reproductive health and contraception, and HIV/AIDS, etc. The village questionnaire contained information on availability of health, education and other facilities in the village, and whether the facilities are accessible throughout the year. The health facility questionnaires contained information on human resources, infrastructure, and services. For the first time, population-linked facility survey has been conducted in DLHS-3. At the district level, all Community Health Centres and District Hospital were covered. Further, all Sub-Centres and Primary Health Centres which were expected to serve the population of the selected PSU were also covered. Fieldwork for India was conducted during December 2007-December 2008, gathering information from 684,267 households.

This fact sheet gives information on the key indicators and trends for the India. At state level, separate fact sheets are available for all 31 states (excluding Andaman & Nicobar Islands, Arunachal Pradesh, Manipur and Nagaland) of the India. A detailed state level report for India will be made available soon.



India - Key Indicators

Indicators	DLHS-3 (2007-08)			DLHS-2 (2002-04)		
	Total	Rural	Urban	Total ¹	Rural	Urban
Sample size						
Households	684,267	529,897	154,370	620,107	415,135	204,972
Ever married women (age 15-49 years).....	617,667	482,773	134,894	NA	NA	NA
Currently married women (age 15-44 years).....	527,998	414,618	113,380	507,622	345,948	161,674
Unmarried women (age 15-24 years).....	154,940	112,256	42,684	NA	NA	NA
Population and households profile						
Population literate age 7+ years (%)	71.9	66.6	82.8	67.2	61.6	81.6
Population below age 15 years (%).....	32.8	34.7	28.8	32.1	33.5	28.6
Mean household size	5.1	5.2	4.9	4.8	4.9	4.7
Percentage of household that:						
Have electricity.....	69.4	58.3	92.1	71.6	63.5	92.6
Have access to toilet facility.....	46.8	30.9	79.3	36.2	19.2	79.9
Live in a <i>Kachcha</i> house.....	34.3	45.1	12.2	31.8	39.9	11.1
Live in a <i>Pucca</i> house	33.9	20.4	61.4	29.2	18.5	56.7
Use piped drinking water ²	39.6	26.3	66.7	88.1	85.8	94.0
Low standard of living	44.8	60.1	13.5	44.5	56.9	12.5
High standard of living	27.8	12.7	58.5	21.7	9.8	52.3
Awareness about Government health programmes (based on response from household questionnaire)						
DOTS (Tuberculosis) (%).....	60.6	55.4	71.2	NA	NA	NA
Leprosy Eradication (%).....	51.0	44.5	64.1	NA	NA	NA
Malaria/ Dengue/ Chikun Guinea (%).....	83.2	79.2	91.3	NA	NA	NA
Prevention of Sex Selection (%).....	56.5	47.7	74.4	NA	NA	NA
Marriage						
Mean age at marriage for boys (marriages that occurred three years period preceding the survey).....	24.2	23.5	25.6	24.5	23.9	26.0
Mean age at marriage for girls (marriages that occurred three years period preceding the survey).....	19.9	19.3	12.3	19.4	18.8	21.0
Boys married below age 21 (marriages that occurred three years period preceding the survey) (%).....	22.1	27.0	11.7	21.1	25.5	9.7
Girls married below age 18 (marriages that occurred three years period preceding the survey) (%).....	21.5	26.6	10.4	28.5	34.5	13.0
Currently married women age 20-24 who were married before age 18 (%).....	43.4	48.7	29.4	NA	NA	NA
Indicators based on currently married women (age 15-44)						
Characteristics of women						
Currently married non-literate women (%).....	42.4	50.9	24.0	49.8	59.0	26.1
Currently married women with 10 or more years of schooling (%)	21.2	12.7	39.5	18.2	10.4	38.2
Fertility						
Births to women during age 15-19 out of total births ³ (%).....	5.8	6.6	3.6	NA	NA	NA
Women age 20-24 reporting birth of order 2 & above ³ (%).....	48.8	50.8	43.0	58.6	NA	NA
Women with two children wanting no more children (%).....	34.5	40.9	23.9	NA	NA	NA
Mean children ever born to women age 40-44 years.....	4.0	4.0	3.4	4.0	NA	NA
Current use of family planning methods						
Any method (%).....	54.1	51.2	60.4	52.5	48.8	61.9
Any modern method (%).....	47.3	44.6	53.2	45.2	42.0	53.4
Female sterilization (%).....	34.4	34.5	34.4	34.3	34.1	34.7
Male sterilization (%).....	1.0	1.1	0.8	0.9	0.9	0.9
Pill (%).....	4.0	3.9	4.3	3.5	3.0	4.7
IUD (%).....	1.8	1.3	2.9	1.8	1.1	3.7
Condom (%).....	6.0	3.8	10.8	4.6	2.8	9.3
Any traditional method (%).....	6.5	6.3	7.0	7.2	6.8	8.4
NA: Not available.						
¹ Percentage of total (rural-urban combined) in DLHS-2 is adjusted according to rural-urban distribution of population as per 2001 Census.						
² Piped drinking water in DLHS-2 includes tap (inside residence/yard/plot) or tap (shared/public) or hand pump/bore well, well covered; DLHS-3 includes piped into dwelling, piped to yard/plot, public tap/standpipe.						
³ DLHS-3 reference period is from 1-1-2004 to survey date; DLHS-2 reference period is from 1-1-1999/1-1-2001 to survey date.						


India - Key Indicators

Indicators	DLHS-3 (2007-08)			DLHS-2 (2002-04)		
	Total	Rural	Urban	Total ¹	Rural	Urban
Current use of family planning methods (contd.)						
Rhythm/Safe period (%).....	4.6	4.5	4.9	4.1	4.0	4.4
Couple using spacing method for more than 6 months (%).....	9.1	6.6	14.3	NA	NA	NA
Ever used Emergency Contraceptive Pills (ECP) (%).....	0.6	0.5	0.9	NA	NA	NA
Unmet need for family planning						
Total unmet need ⁴ (%).....	21.5	23.0	18.2	21.4	23.2	16.8
For spacing (Definition I)(%).....	8.0	8.9	6.1	8.6	9.7	5.8
For limiting (Definition I) (%).....	13.5	14.1	12.1	12.8	13.5	10.9
Total unmet need ⁵ (%).....	14.6	15.6	12.2	NA	NA	NA
For spacing (Definition II) (%).....	5.3	5.7	4.3	NA	NA	NA
For limiting (Definition II) (%).....	9.3	9.9	7.9	NA	NA	NA
Antenatal care (women who had live/still birth during reference period)⁶						
Mothers who received any antenatal check-up (%).....	75.3	70.7	87.2	73.6	67.5	89.3
Mothers who had antenatal check-up in first trimester (%).....	45.0	38.3	61.8	40.4	33.3	58.7
Mothers who had three or more ANC (%).....	51.0	43.9	68.9	50.4	41.9	72.1
Mothers who had at least one tetanus toxoid injection (%).....	73.5	68.8	85.7	80.2	76.6	89.6
Mothers whose Blood Pressure (BP) taken (%).....	45.2	37.2	65.5	57.7	50.2	77.1
Mothers who consumed 100 IFA Tablets (%).....	46.8	47.4	45.4	20.5	16.9	29.6
Mothers who had full antenatal check-up ⁶ (%).....	19.1	14.9	29.8	16.5	12.8	25.9
Delivery care (women who had live/still birth during reference period)						
Institutional delivery (%).....	47.0	37.8	70.5	40.9	29.8	69.4
Delivery at home (%).....	52.2	61.4	28.9	58.6	69.8	29.8
Delivery at home conducted by skilled health personnel (%).....	5.6	5.6	5.3	13.5	10.5	21.3
Safe delivery ⁷ (%).....	52.6	43.4	75.8	48.0	37.2	75.8
Mothers who received post-natal care within two weeks of delivery (%)..	50.8	42.3	72.0	NA	NA	NA
Mothers who received financial assistance for delivery under JSY ⁸ (%)	13.6	13.9	12.9	NA	NA	NA
Child Immunization						
Number of children age 12-23 months	63,023	51,430	11,593	62,505	45,243	17,262
Children 12-23 months fully immunized ⁹ (%).....	54.1	50.6	63.1	45.9	40.0	61.1
Children 12-23 months not received any vaccination (%).....	11.3	12.6	7.9	19.8	23.6	10.0
Children 12-23 months who have received BCG vaccine (%).....	86.9	85.5	90.5	75.0	70.3	87.2
Children 12-23 months who have received 3 doses of DPT vaccine (%)..	63.6	60.3	72.1	58.3	52.3	73.6
Children 12-23 months who have received 3 doses of polio vaccine (%)	66.2	63.3	73.7	57.3	51.4	72.4
Children 12-23 months who have received measles vaccine (%).....	69.6	66.6	77.6	56.1	50.2	71.2
Children (age 9 months and above) received at least one dose of vitamin A supplement (%).....	55.0	52.5	61.4	31.1	28.2	38.7
Child feeding practices						
Children under 3 year's breastfed within one hour of birth ¹⁰ (%)	40.2	39.4	42.1	27.8	25.1	34.7
Children age 0-5 exclusively breastfed ¹¹ (%).....	46.4	47.8	42.5	NA	NA	NA
Children age 6-35 months breastfed for at least 6 months (%).....	24.9	25.7	22.8	22.7	NA	NA
Children age 6-9 months receiving solid/semi-solid food and breast milk (%).....	23.9	24.4	22.5	NA	NA	NA
<p>^{4 & 5} Total unmet need refers to unmet need for limiting and spacing.</p> <p>Definition I: Unmet need for spacing includes the proportion of currently married women who are neither in menopause or had hysterectomy nor are currently pregnant who want more children after two years or later and are currently not using any family planning method. The women who are not sure about whether and when to have next child are also included.</p> <p>Unmet need for limiting includes the proportion of currently married women who are neither in menopause or had hysterectomy nor are currently pregnant and do not want any more children but are currently not using any family planning method(These definitions are same as DLHS-2).</p> <p>Definition II: Unmet need for spacing includes fecund women who are neither pregnant nor amenorrhea, who are not using any method of family planning, and say they want to wait two or more years for their next birth. It also includes fecund women who are not using any method of family planning, and say they are unsure whether they want another child or who want another child but are unsure when to have the birth.</p> <p>Unmet need for limiting includes fecund women who are neither pregnant nor amenorrhea, who are not using any method of family planning, and who want no more children (These definitions are similar to NFHS-3).</p> <p>⁶ Full ANC: At least three visits for antenatal check-up, one TT injection received and 100 IFA tablets or adequate amount of syrup consumed.</p> <p>⁷ Either institutional delivery or home delivery attended by skilled health personnel (Doctor/ ANM/Nurse/midwife/LHV/Other health personnel).</p> <p>⁸ Janani Surasksha Yojana for deliveries from 1-4-2006 to survey date.</p> <p>⁹ Full Immunization: BCG, three injection of DPT, three doses of Polio (excluding Polio 0) and Measles.</p> <p>¹⁰ DLHS-2 data indicates children breastfed within two hours of birth.</p> <p>¹¹ Children who were given nothing but breast milk till the survey date.</p>						

India – Key Indicators

Indicators	DLHS-3 (2007-08)			DLHS-2 (2002-04)		
	Total	Rural	Urban	Total ¹	Rural	Urban
Awareness about Diarrhoea and ARI						
Women aware about danger signs of ARI ¹² (%).....	57.4	55.0	62.7	41.3	41.6	40.4
Treatment of childhood diseases (women who had live birth during reference period)						
Children with diarrhoea in the last 2 weeks who received ORS ¹³ (%)	33.7	30.2	43.3	30.3	25.7	42.0
Children with diarrhoea in the last 2 weeks who were given treatment (%).....	70.9	69.3	75.6	73.2	71.2	78.3
Children with acute respiratory infection or fever in last 2 weeks who were given advise or treatment (%).....	71.9	69.4	79.0	73.9	71.7	79.6
Awareness of RTI/STI and HIV/AIDS						
Women who have heard of RTI/STI (%).....	33.3	28.6	43.5	43.9	41.5	50.1
Women who have heard of HIV/AIDS (%).....	58.6	48.8	79.9	52.2	42.1	78.1
Women who have any symptoms of RTI/STI (%).....	18.3	19.8	15.1	32.5	33.7	29.3
Women who know the place to go for testing of HIV/AIDS ¹⁴ (%).....	61.4	56.0	68.5	NA	NA	NA
Women underwent test for detecting HIV/AIDS ¹⁴ (%).....	11.3	8.7	14.6	NA	NA	NA
Other reproductive health problems						
Women had primary or secondary infertility (%).....	8.4	8.6	8.1	NA	NA	NA
Women had problem of obstetric fistula (%).....	1.5	1.7	1.2	NA	NA	NA
Quality of family planning services						
Currently married non-users who ever received counselling by health personnel to adopt family planning (%).....	16.2	16.4	15.6	11.7	11.4	12.6
Current users ever told about side-effects of family planning methods (%).....	17.8	18.5	16.4	28.0	27.9	28.1
Users who received follow-up services for IUD/sterilization within 48 hours (%).....	76.5	75.4	78.7	NA	NA	NA
Indicators based on unmarried women (age 15-24)						
Characteristics of women						
Unmarried women with 10 or more years of schooling (%).....	45.4	34.4	58.1	NA	NA	NA
Family life education						
Unmarried women who opined family life education/sex education important (%).....	81.2	77.7	85.1	NA	NA	NA
Unmarried who ever received family life education/sex education (%)	48.7	43.5	54.8	NA	NA	NA
Unmarried women who are aware of legal minimum age at marriage for girls in India (%).....	88.7	84.5	93.5	NA	NA	NA
Awareness of contraceptive methods						
Unmarried women who know about condom (%).....	68.9	62.9	75.8	NA	NA	NA
Unmarried women who know about pills (%).....	78.1	74.6	82.0	NA	NA	NA
Unmarried women who know about Emergency Contraceptive Pills (ECP) (%).....	30.7	24.1	38.3	NA	NA	NA
Unmarried women who ever discussed about contraception with any one (%).....	22.6	21.3	24.0	NA	NA	NA
Awareness of RTI/STI and HIV/AIDS						
Unmarried women who have heard of RTI/STI (%).....	33.1	28.1	38.9	NA	NA	NA
Unmarried women who have heard of HIV/AIDS (%).....	78.1	70.4	87.1	NA	NA	NA
Unmarried women who know the place for testing of HIV/AIDS ¹⁴ (%)....	65.2	60.8	69.4	NA	NA	NA
Unmarried women underwent test for detecting HIV/AIDS ¹⁴ (%).....	1.2	1.0	1.5	NA	NA	NA
¹² Acute Respiratory Infection						
¹³ Oral Rehydration Solutions/Salts						
¹⁴ Based on the women who have heard of HIV/AIDS.						

India – Key indicators

Indicators	Number / Percentage
Villages covered	21,623
Health Facilities covered	
Sub Centres (SC)	17,752
Primary Health Centres (PHC).....	8,445
Community Health Centres (CHC).....	4,094
District Hospitals (DH)	567
Health programmes at village level	
Number of villages having ASHA.....	12,678
Villages having beneficiary under Janani Suraksha Yojana (JSY) (%).....	90.7
Village where Health and Sanitation Committee formed (%).....	29.2
Village Pradhan/Panchayat member aware of untied fund (%).....	30.0
Accessibility of the health facility	
Villages with Sub Centre within 3 KMs (%).....	72.6
Villages with PHC within 10 KMs (%).....	72.2
Infrastructure, staff and services at Sub Centre(SC)	
Sub Centre located in government building (%).....	55.2
Sub Centre with ANM (%).....	90.6
Sub Centre with male health worker (%).....	39.0
Sub Centre with additional ANM (%).....	19.8
ANM living in Sub Centre quarter where facility is available (%).....	57.8
Infrastructure, staff and services at Primary Health Centre (PHC)	
PHCs having Lady Medical Officer (%).....	24.3
PHCs having AYUSH Medical Officer (%).....	19.2
PHCs with at least 4 beds (%).....	67.1
PHCs having residential quarter for Medical Officer (%).....	54.7
PHCs functioning on 24 hours basis (%)	53.1
PHCs having new born care services ¹⁵ (%)	35.9
PHCs having referral services for complicated pregnancy/delivery ¹⁵ (%)	55.4
PHCs conducted at least 10 deliveries during last month ¹⁵ (%).....	38.5
Infrastructure, staff and services at Community Health Centre (CHC)	
CHCs having Obstetrician/Gynaecologist (%).....	25.1
CHCs having 24 hours normal delivery services (%).....	90.1
CHCs having functional Operation Theatre (%).....	65.6
CHCs designated as FRUs (%).....	52.0
CHCs designated as FRUs offering caesarean section (%).....	18.8
FRUs having new born care services on 24 hour basis (%)	76.3
FRUs having blood storage facility (%)	9.2
¹⁵ Based on the PHCs functioning on 24 hours basis. Note: Excluding Andaman & Nicobar Islands, Arunachal Pradesh, Manipur and Nagaland.	
	

Selected State Key Indicators - Total

State	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
India	54.1	47.3	34.4	9.3	5.3	75.4	19.1	47.0	52.6	86.9	63.6	54.1
Andhra Pradesh	65.3	65.1	60.3	2.1	3.1	95.9	40.6	71.8	75.6	97.9	80.4	68.5
Assam	49.7	31.2	10.7	12.9	4.4	74.8	8.6	35.3	40.9	84.1	60.7	51.0
Bihar	32.4	28.4	25.0	16.4	8.7	59.3	4.6	27.7	31.9	81.4	54.4	41.4
Chandigarh	75.6	70.7	28.8	4.4	1.1	84.3	30.2	73.6	78.5	96.3	86.1	73.1
Chhattisgarh	49.7	47.1	41.3	7.6	5.0	79.6	13.7	18.1	29.6	95.0	72.5	60.8
Dadra Nagar Haveli	56.9	47.7	40.7	7.5	8.1	72.0	23.1	48.6	60.0	95.9	65.7	52.3
Daman & Diu	62.4	51.9	41.3	5.8	6.8	95.8	43.3	64.0	69.4	98.2	87.8	83.5
Delhi	66.1	55.5	22.9	7.7	2.8	91.6	33.6	68.6	71.8	92.1	77.1	67.7
Goa	45.0	35.9	23.1	9.9	8.4	99.0	90.8	96.3	97.8	97.7	90.3	88.6
Gujarat	61.6	54.3	41.5	6.7	5.5	71.5	19.9	56.5	62.1	88.0	64.0	55.5
Haryana	62.0	54.5	36.3	7.9	3.4	87.3	13.3	46.9	53.4	87.7	71.2	61.8
Himachal Pradesh	70.2	68.1	45.1	6.3	3.3	86.6	31.4	48.2	51.0	98.7	90.3	82.6
Jammu & Kashmir	54.1	41.2	24.0	9.0	4.5	84.7	29.0	55.3	59.3	93.9	71.4	63.0
Jharkhand	34.9	30.8	24.6	13.8	7.5	55.9	9.1	17.8	25.0	85.5	63.3	54.8
Karnataka	61.8	60.8	56.7	3.9	6.3	90.2	51.1	65.1	71.5	96.8	85.0	76.8
Kerala	62.3	53.1	46.1	5.6	6.8	99.8	72.3	99.4	99.4	99.2	86.7	79.0
Lakshadweep	27.4	16.6	9.6	7.1	9.5	99.8	67.8	90.3	95.7	100.0	92.3	86.9
Madhya Pradesh	56.2	53.1	45.1	7.6	5.5	61.8	8.6	47.1	50.1	85.2	49.6	38.5
Maharashtra	63.8	62.6	51.5	5.4	5.2	91.8	33.9	63.6	69.4	95.8	79.1	69.3
Meghalaya	22.9	16.8	8.3	10.8	12.6	55.5	14.5	24.4	29.0	77.9	45.9	34.3
Mizoram	53.9	53.5	35.9	4.1	7.7	89.5	33.0	55.9	63.5	92.6	67.6	55.3
Orissa	47.0	37.8	25.6	10.2	5.0	84.1	23.3	44.3	50.9	94.4	74.5	63.1
Puducherry	59.4	57.5	48.7	6.9	4.9	92.8	48.6	99.1	99.4	95.8	86.6	80.6
Punjab	69.3	62.9	32.6	6.5	2.0	83.3	14.3	63.3	77.1	94.3	85.5	78.9
Rajasthan	57.0	54.0	40.5	7.0	4.4	56.6	6.6	45.5	52.7	83.6	56.8	50.0
Sikkim	71.1	61.1	21.8	11.3	2.3	95.2	27.5	49.8	56.9	98.5	88.7	77.9
Tamil Nadu	59.9	57.8	53.8	5.9	4.1	98.9	51.8	94.1	95.6	99.5	89.6	81.6
Tripura	68.5	40.8	13.9	8.0	2.6	67.4	13.3	46.3	47.3	69.9	47.4	38.5
Uttar Pradesh	38.4	26.7	16.5	16.7	7.1	64.4	3.3	24.5	30.1	73.6	39.7	31.1
Uttarkhand	60.1	57.7	39.5	9.6	5.2	55.4	15.6	30.0	35.5	91.2	72.6	63.3
West Bengal	72.7	53.3	33.7	6.5	2.6	96.1	19.6	49.2	51.6	96.2	83.8	75.8

Note: A1- CPR Any Method, A2- Any Modern Method, A3- Female sterilization, A4- Unmet Need for Limiting , A5- Unmet Need for Spacing A6- ANY ANC, A7- Full ANC, A8- Institutional Delivery, A9- Safe Delivery, A10 – BCG, A11-DPT-3, A12- Full immunization

Selected State Key Indicators - Rural

State	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
India	51.2	44.6	34.5	9.9	5.7	70.7	14.9	37.8	43.4	85.5	60.3	50.6
Andhra Pradesh	64.5	64.4	60.2	1.9	3.0	95.0	37.7	65.7	70.0	97.0	76.9	65.0
Assam	48.5	29.8	9.9	13.3	4.5	73.3	7.7	32.1	37.6	83.4	59.8	50.3
Bihar	31.0	27.2	24.4	16.8	8.9	58.5	4.1	25.6	29.7	81.6	54.5	41.4
Chandigarh	76.0	73.2	36.2	9.9	3.0	86.3	29.6	50.8	57.2	100.0	75.0	75.0
Chhattisgarh	47.8	45.6	41.0	7.5	5.2	77.7	11.8	13.2	24.1	94.4	69.9	57.2
Dadra Nagar Haveli	58.6	54.8	50.6	6.4	8.0	88.7	19.0	31.3	42.5	95.4	63.2	49.4
Daman & Diu	61.8	54.5	46.9	5.5	7.2	94.5	37.7	60.2	63.6	100.0	94.3	88.6
Delhi	63.9	52.4	25.0	6.9	4.3	88.1	21.4	56.9	61.3	90.2	70.5	67.2
Goa	44.8	36.2	27.5	7.9	7.7	99.5	92.8	97.8	89.9	100.0	94.7	93.0
Gujarat	60.6	53.8	43.7	6.6	5.7	66.4	16.0	48.1	54.5	86.5	60.3	51.4
Haryana	61.8	55.0	39.8	7.9	3.7	85.2	10.2	42.2	48.0	85.9	67.5	56.9
Himachal Pradesh	70.2	68.2	46.1	6.2	3.3	86.2	30.8	46.1	48.8	98.5	89.7	81.9
Jammu & Kashmir	51.7	38.6	22.8	9.7	4.5	82.5	28.0	50.1	54.5	93.1	68.5	60.1
Jharkhand	31.9	27.8	22.7	14.5	8.0	52.9	7.2	13.4	21.0	84.1	61.0	52.5
Karnataka	62.8	62.2	59.8	3.3	6.3	88.6	48.7	59.7	66.7	97.3	84.4	76.3
Kerala	63.3	54.3	47.2	5.3	6.8	99.8	72.5	99.3	99.3	99.0	87.4	80.3
Lakshadweep	30.4	16.8	10.0	8.6	8.6	99.6	68.2	87.2	93.3	100.0	89.4	81.8
Madhya Pradesh	54.9	52.1	47.1	7.7	5.6	56.8	6.4	40.8	43.4	82.3	42.8	31.4
Maharashtra	63.8	62.9	54.6	4.8	5.5	90.1	32.6	54.1	61.1	95.4	78.0	67.9
Meghalaya	21.1	15.3	7.7	10.9	12.9	55.7	13.0	20.6	25.2	76.7	42.4	31.0
Mizoram	50.6	50.0	33.7	4.4	7.8	85.6	27.4	40.4	50.7	89.1	61.0	46.8
Orissa	44.9	36.2	25.3	10.3	5.2	83.1	21.5	40.4	47.4	93.8	73.0	61.0
Puducherry	63.9	62.8	56.7	7.5	3.0	99.5	41.7	97.4	98.0	100.0	97.3	95.9
Punjab	68.6	63.0	35.4	6.6	2.1	81.7	13.3	59.7	74.5	95.2	86.6	80.3
Rajasthan	55.5	52.7	41.3	7.2	4.6	53.0	5.0	40.7	48.2	81.7	53.6	46.8
Sikkim	70.9	61.1	21.7	11.6	2.3	95.0	27.7	48.0	55.1	98.4	88.1	77.1
Tamil Nadu	59.8	58.4	55.5	5.8	4.1	98.5	47.7	91.8	93.9	99.6	90.0	82.9
Tripura	67.0	40.1	14.3	8.3	2.7	64.1	12.0	41.6	42.7	67.5	44.9	35.9
Uttar Pradesh	36.7	25.0	16.9	17.1	7.5	62.8	2.7	22.1	27.0	73.0	37.9	29.4
Uttarkhand	58.6	56.5	41.2	10.0	5.7	51.9	12.9	25.2	30.1	90.9	71.4	61.3
West Bengal	71.6	54.3	35.8	6.6	2.9	95.7	17.8	43.4	46.1	96.3	83.0	75.7

Note: A1- CPR Any Method, A2- Any Modern Method, A3- Female sterilization, A4- Unmet Need for Limiting , A5- Unmet Need for Spacing A6- ANY ANC, A7- Full ANC, A8- Institutional Delivery, A9- Safe Delivery, A10 – BCG, A11-DPT-3, A12- Full immunization


Selected State Key Indicators – Health Facility (SC, PHC and CHC)

State	F1	F2	F3	F4	F5	F6	F7	F8
INDIA	55.2	57.8	24.3	67.1	53.1	25.1	52.0	9.2
Andhra Pradesh	22.5	40.7	40.6	82.9	51.1	47.8	89.4	28.5
Assam	52.8	37.1	23.1	64.6	65.6	36.1	32.5	25.9
Bihar	35.3	20.3	28.2	75.8	64.5	43.9	87.9	0.0
Chandigarh	60.0	0.0	NA	NA	NA	100.0	50.0	0.0
Chhattisgarh	45.3	62.0	6.8	40.2	58.6	19.7	56.6	7.7
Dadra Nagar Haveli	93.1	47.8	0.0	100.0	100.0	0.0	100.0	0.0
Daman & Diu	77.3	0.0	0.0	100.0	50.0	100.0	100.0	0.0
Delhi	44.7	100.0	64.3	50.0	42.9	NA	NA	NA
Goa	20.5	5.1	62.5	62.5	62.5	20.0	80.0	0.0
Gujarat	65.7	37.9	11.6	77.1	46.9	11.3	74.1	8.9
Haryana	54.9	31.4	30.3	63.7	38.2	13.1	44.0	18.9
Himachal Pradesh	79.7	60.5	16.0	70.8	52.8	4.3	35.8	3.0
Jammu & Kashmir	38.0	64.1	39.2	47.5	32.4	45.2	71.2	15.3
Jharkhand	57.5	44.2	50.5	89.1	79.3	62.5	87.5	0.0
Karnataka	57.6	46.5	23.2	85.7	47.0	33.9	75.4	5.6
Kerala	75.9	47.7	5.8	28.6	11.7	17.5	18.5	2.6
Lakshadweep	60.0	0.0	50.0	100.0	100.0	0.0	33.3	0.0
Madhya Pradesh	55.6	48.5	13.5	66.6	73.1	20.8	61.4	6.3
Maharashtra	70.0	71.5	30.8	89.7	78.1	40.3	58.7	11.6
Meghalaya	94.8	46.4	41.2	94.1	62.7	11.5	46.2	16.7
Mizoram	97.1	79.3	22.6	92.5	69.8	0.0	70.0	85.7
Orissa	60.0	43.2	53.2	49.2	49.1	87.3	53.7	15.4
Puducherry	65.4	19.2	47.0	93.3	73.3	0.0	75.0	0.0
Punjab	56.1	17.7	20.1	74.6	17.2	31.6	39.4	8.2
Rajasthan	76.2	55.1	6.2	89.9	56.9	31.5	52.7	15.0
Sikkim	89.3	79.8	73.9	100.0	95.6	NA	NA	NA
Tamil Nadu	72.2	57.6	62.4	28.4	50.6	7.8	42.4	1.3
Tripura	54.0	7.7	29.1	87.3	70.9	0.0	25.0	0.0
Uttar Pradesh	42.2	37.2	2.3	56.7	45.5	29.9	55.8	1.3
Uttarkhand	58.0	63.4	10.7	82.1	72.6	16.8	53.7	2.0
West Bengal	45.8	9.0	9.7	27.0	25.9	12.8	17.9	10.0

F1:Sub Centre (SC) located in government building,F2:ANM living in Sub Centre quarter where facility is available , F3-Primary health Centre (PHC) having Lady Medical Officer ,F4:PHCs with at least 4 beds,F5:PHCs functioning on 24 hours basis , F6: Community Health Centre (CHC) having Obstetrician/Gynecologist ,F7:CHCs designated as FRUs ,F8:FRUs having blood storage facility.


DLHS – 3

Percentage of Women Received Full Antenatal Check-Ups




DLHS – 2

Percentage of Women Received Full Antenatal Check-Ups




DLHS – 3

Percentage of Women Institutional Delivery




DLHS – 2

Percentage of Women Institutional Delivery



DLHS – 3

Full Vaccination of Children
(Age 12 – 23 months)




DLHS – 2

Full Vaccination of Children
(Age 12 – 23 months)



DLHS – 3

Current Use of Any Family Planning
Method



DLHS – 2

Current Use of Any Family Planning
Method



Sampling Errors India

Variable/ Residence	Value (R)	Sampling error (SE)	Relative Errors (%)	95% Conf. Interval		Unweighted (N)
				R-1.96 SE	R+1.96 SE	
Contraceptive Prevalence Rate (Currently married women age 15-44)						
Total	0.541	0.001	0.1	0.540	0.543	527887
Rural	0.512	0.001	0.2	0.511	0.514	414552
Urban	0.604	0.001	0.2	0.601	0.607	113335
Unmet Need (Currently married women age 15-44)						
Total	0.146	0.000	0.3	0.145	0.147	527887
Rural	0.156	0.001	0.4	0.155	0.157	414552
Urban	0.122	0.001	0.8	0.121	0.125	113335
Received Any Antenatal check up (last live/still birth of past 3 years)						
Total	0.753	0.001	0.1	0.752	0.755	206723
Rural	0.707	0.001	0.2	0.705	0.709	168156
Urban	0.872	0.002	0.2	0.868	0.875	38567
Received 3+ Antenatal check up (last live/still birth of past 3 years)						
Total	0.510	0.001	0.2	0.507	0.511	206723
Rural	0.439	0.001	0.3	0.436	0.441	168156
Urban	0.689	0.002	0.3	0.684	0.693	38567
Institutional Delivery (last live/still birth of past 3 years)						
Total	0.470	0.001	0.2	0.468	0.472	206715
Rural	0.378	0.001	0.3	0.376	0.380	168151
Urban	0.705	0.002	0.3	0.700	0.709	38564
Safe Delivery (last live/still birth of past 3 years)						
Total	0.526	0.001	0.2	0.523	0.528	206715
Rural	0.434	0.001	0.3	0.432	0.437	168151
Urban	0.758	0.002	0.3	0.754	0.762	38564
Received BCG Vaccination (last and last but one living children, age 12-23 months)						
Total	0.869	0.001	0.2	0.866	0.872	63013
Rural	0.855	0.002	0.2	0.852	0.858	51423
Urban	0.905	0.003	0.3	0.900	0.911	11590
Received Measles (last and last but one living children, age 12-23 months)						
Total	0.696	0.002	0.3	0.693	0.700	63013
Rural	0.666	0.002	0.3	0.662	0.670	51423
Urban	0.776	0.004	0.5	0.768	0.783	11590
Birth order 2+ (birth in last three years)						
Total	0.488	0.018	3.7	0.452	0.524	97592
Rural	0.508	0.020	4.0	0.467	0.549	81118
Urban	0.430	0.018	4.1	0.394	0.465	16474
Girls married below age 18 (marriages that occurred three years period preceding the survey)						
Total	0.215	0.002	0.7	0.212	0.219	86652
Rural	0.266	0.002	0.7	0.263	0.270	68479
Urban	0.104	0.003	2.5	0.099	0.109	18173

Sampling Errors State wise

state	CPR Any Method					CPR Modern Method					Unweighted (N)
	Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		Value (R)	Sampling error (SE)	Relative Error(%)	95% Conf. Interval		
				R-1.96 SE	R+1.96 SE				R-1.96 SE	R+1.96 SE	
Andhra Pradesh	0.653	0.004	0.5	0.646	0.660	0.651	0.004	0.5	0.644	0.658	18,078
Assam	0.497	0.003	0.6	0.491	0.503	0.312	0.003	0.9	0.307	0.318	26,307
Bihar	0.324	0.002	0.7	0.319	0.328	0.284	0.002	0.8	0.280	0.288	40,837
Chandigarh	0.756	0.016	2.1	0.737	0.800	0.707	0.017	2.4	0.681	0.748	696
Chhattisgarh	0.497	0.004	0.8	0.489	0.505	0.471	0.004	0.9	0.463	0.479	15,446
Dadra Nagar H.	0.569	0.018	3.3	0.505	0.574	0.477	0.018	3.6	0.464	0.534	795
Daman & Diu	0.624	0.012	1.9	0.601	0.648	0.519	0.012	2.4	0.495	0.544	1,637
Delhi	0.661	0.006	0.9	0.650	0.672	0.555	0.006	1.1	0.543	0.566	7,065
Goa	0.450	0.014	3.2	0.421	0.477	0.359	0.014	3.9	0.331	0.385	1,194
Gujarat	0.616	0.003	0.5	0.609	0.623	0.543	0.003	0.6	0.536	0.550	20,665
Haryana	0.620	0.004	0.6	0.613	0.628	0.545	0.004	0.7	0.538	0.552	18,575
Himachal Pradesh	0.702	0.005	0.7	0.692	0.711	0.681	0.005	0.7	0.671	0.691	8,622
J& Kashmir	0.541	0.004	0.8	0.533	0.550	0.412	0.004	1.0	0.404	0.421	13,039
Jharkhand	0.349	0.003	0.9	0.343	0.355	0.308	0.003	1.0	0.302	0.314	24,155
Karnataka	0.618	0.003	0.5	0.612	0.625	0.608	0.003	0.5	0.602	0.615	22,990
Kerala	0.623	0.005	0.8	0.614	0.633	0.531	0.005	0.9	0.522	0.541	10,148
Lakshadweep	0.274	0.013	4.9	0.241	0.293	0.166	0.011	6.8	0.140	0.183	1,124
Madhya Pradesh	0.562	0.002	0.4	0.558	0.567	0.531	0.003	0.5	0.526	0.536	39,811
Maharashtra	0.638	0.003	0.4	0.633	0.644	0.626	0.003	0.4	0.621	0.632	30,094
Meghalaya	0.229	0.006	2.5	0.217	0.239	0.168	0.005	3.0	0.158	0.178	5,545
Mizoram	0.539	0.006	1.2	0.526	0.552	0.535	0.006	1.2	0.522	0.548	5,932
Orissa	0.470	0.003	0.7	0.464	0.476	0.378	0.003	0.8	0.371	0.384	23,968
Puducherry	0.594	0.009	1.5	0.576	0.611	0.575	0.009	1.5	0.557	0.592	3,143
Punjab	0.693	0.003	0.5	0.686	0.699	0.629	0.004	0.6	0.622	0.637	17,703
Rajasthan	0.570	0.003	0.5	0.564	0.575	0.540	0.003	0.5	0.535	0.546	35,366
Sikkim	0.711	0.007	1.0	0.697	0.726	0.611	0.008	1.3	0.596	0.628	3,711
Tamil Nadu	0.599	0.003	0.6	0.592	0.605	0.578	0.003	0.6	0.571	0.584	21,695
Tripura	0.685	0.008	1.1	0.669	0.700	0.408	0.008	2.0	0.392	0.424	3,639
Uttar Pradesh	0.384	0.002	0.5	0.381	0.388	0.267	0.002	0.6	0.264	0.270	76,094
Uttarkhand	0.601	0.005	0.8	0.591	0.609	0.577	0.005	0.8	0.567	0.586	11,125
West Bengal	0.727	0.003	0.4	0.721	0.733	0.533	0.004	0.7	0.526	0.540	18,688

state	Unmet Need Limiting					Unmet Need Spacing					Unweighted (N)
	Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		
				R-1.96 SE	R+1.96 SE				R-1.96 SE	R+1.96 SE	
Andhra Pradesh	0.021	0.001	5.0	0.019	0.023	0.031	0.001	4.2	0.028	0.033	18,078
Assam	0.129	0.002	1.6	0.125	0.134	0.044	0.001	2.9	0.042	0.047	26,307
Bihar	0.164	0.002	1.1	0.160	0.168	0.087	0.001	1.6	0.085	0.090	40,837
Chandigarh	0.044	0.008	17.9	0.028	0.058	0.011	0.004	37.6	0.003	0.017	696
Chhattisgarh	0.076	0.002	2.8	0.071	0.080	0.050	0.002	3.5	0.047	0.054	15,446
Dadra Nagar H.	0.075	0.011	10.2	0.087	0.130	0.081	0.009	12.3	0.058	0.095	795
Daman & Diu	0.058	0.006	10.0	0.046	0.069	0.068	0.006	9.2	0.056	0.081	1,637
Delhi	0.077	0.003	4.1	0.071	0.083	0.028	0.002	7.0	0.024	0.032	7,065
Goa	0.099	0.009	8.8	0.082	0.116	0.084	0.008	9.6	0.068	0.099	1,194
Gujarat	0.067	0.002	2.6	0.063	0.070	0.055	0.002	2.9	0.051	0.058	20,665
Haryana	0.079	0.002	2.5	0.075	0.083	0.034	0.001	3.9	0.031	0.037	18,575
Himachal Pradesh	0.063	0.003	4.2	0.058	0.068	0.033	0.002	5.8	0.029	0.037	8,622
J& Kashmir	0.090	0.003	2.8	0.086	0.095	0.045	0.002	4.0	0.041	0.049	13,039
Jharkhand	0.138	0.002	1.6	0.133	0.142	0.075	0.002	2.3	0.071	0.078	24,155
Karnataka	0.039	0.001	3.3	0.037	0.042	0.063	0.002	2.5	0.060	0.067	22,990
Kerala	0.056	0.002	4.1	0.051	0.060	0.068	0.002	3.7	0.063	0.072	10,148
Lakshadweep	0.071	0.008	11.0	0.054	0.084	0.095	0.009	9.1	0.081	0.116	1,124
Madhya Pradesh	0.076	0.001	1.7	0.074	0.079	0.055	0.001	2.1	0.052	0.057	39,811
Maharashtra	0.054	0.001	2.4	0.052	0.057	0.052	0.001	2.5	0.050	0.055	30,094
Meghalaya	0.108	0.004	3.9	0.100	0.116	0.126	0.004	3.6	0.117	0.135	5,545
Mizoram	0.041	0.003	6.3	0.036	0.046	0.077	0.003	4.5	0.070	0.084	5,932
Orissa	0.102	0.002	1.9	0.098	0.106	0.050	0.001	2.8	0.047	0.052	23,968
Puducherry	0.069	0.005	6.6	0.060	0.078	0.049	0.004	7.9	0.041	0.056	3,143
Punjab	0.065	0.002	2.9	0.061	0.069	0.020	0.001	5.3	0.018	0.022	17,703
Rajasthan	0.070	0.001	1.9	0.068	0.073	0.044	0.001	2.5	0.042	0.046	35,366
Sikkim	0.113	0.005	4.6	0.103	0.124	0.023	0.002	10.9	0.018	0.027	3,711
Tamil Nadu	0.059	0.002	2.7	0.056	0.062	0.041	0.001	3.3	0.038	0.043	21,695
Tripura	0.080	0.005	5.6	0.072	0.089	0.026	0.003	10.1	0.021	0.031	3,639
Uttar Pradesh	0.167	0.001	0.8	0.164	0.170	0.071	0.001	1.3	0.069	0.073	76,094
Uttarkhand	0.096	0.003	2.9	0.091	0.102	0.052	0.002	4.1	0.048	0.056	11,125
West Bengal	0.065	0.002	2.8	0.062	0.069	0.026	0.001	4.5	0.023	0.028	18,688

state	ANY ANC					ANC Three or more					Unweighted (N)
	Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		
				R-1.96 SE	R+1.96 SE				R-1.96 SE	R+1.96 SE	
Andhra Pradesh	0.959	0.003	0.3	0.954	0.965	0.914	0.004	0.4	0.906	0.921	5,180
Assam	0.748	0.004	0.6	0.739	0.756	0.464	0.005	1.1	0.454	0.474	10,097
Bihar	0.593	0.003	0.6	0.587	0.600	0.267	0.003	1.1	0.261	0.273	21,633
Chandigarh	0.843	0.024	2.8	0.811	0.906	0.780	0.029	3.7	0.724	0.837	206
Chhattisgarh	0.796	0.005	0.6	0.787	0.807	0.518	0.006	1.2	0.505	0.530	6,233
Dadra Nagar H.	0.720	0.024	3.3	0.673	0.766	0.664	0.025	3.8	0.615	0.713	363
Daman & Diu	0.958	0.008	0.8	0.942	0.974	0.878	0.013	1.5	0.853	0.904	633
Delhi	0.916	0.006	0.6	0.906	0.928	0.740	0.009	1.2	0.723	0.757	2,503
Goa	0.990	0.005	0.5	0.980	1.000	0.978	0.007	0.7	0.964	0.992	407
Gujarat	0.715	0.005	0.7	0.705	0.726	0.568	0.006	1.0	0.556	0.579	7,603
Haryana	0.873	0.004	0.5	0.865	0.882	0.525	0.006	1.2	0.513	0.536	6,857
Himachal Pradesh	0.866	0.007	0.8	0.852	0.879	0.614	0.010	1.6	0.595	0.633	2,594
J& Kashmir	0.847	0.005	0.6	0.836	0.855	0.774	0.006	0.8	0.762	0.785	5,237
Jharkhand	0.559	0.005	0.8	0.550	0.568	0.316	0.004	1.4	0.308	0.325	11,474
Karnataka	0.902	0.003	0.4	0.896	0.909	0.817	0.004	0.5	0.808	0.826	7,749
Kerala	0.998	0.001	0.1	0.997	1.000	0.996	0.001	0.1	0.994	0.998	3,335
Lakshadweep	0.998	0.002	0.2	0.994	1.002	0.993	0.004	0.4	0.986	1.001	475
Madhya Pradesh	0.618	0.004	0.6	0.611	0.626	0.349	0.004	1.1	0.342	0.357	16,111
Maharashtra	0.918	0.003	0.3	0.912	0.923	0.760	0.004	0.6	0.752	0.769	10,420
Meghalaya	0.555	0.009	1.7	0.537	0.573	0.456	0.009	2.0	0.438	0.475	3,144
Mizoram	0.895	0.006	0.7	0.884	0.907	0.756	0.008	1.1	0.740	0.773	2,959
Orissa	0.841	0.004	0.5	0.833	0.849	0.556	0.006	1.0	0.545	0.567	7,793
Puducherry	0.928	0.008	0.9	0.912	0.945	0.915	0.009	1.0	0.897	0.933	935
Punjab	0.833	0.005	0.6	0.823	0.843	0.651	0.006	1.0	0.638	0.663	5,739
Rajasthan	0.566	0.004	0.8	0.558	0.575	0.282	0.004	1.4	0.274	0.290	12,573
Sikkim	0.952	0.006	0.6	0.941	0.963	0.732	0.012	1.6	0.709	0.755	1,450
Tamil Nadu	0.989	0.001	0.1	0.986	0.991	0.960	0.002	0.3	0.956	0.965	6,563
Tripura	0.674	0.012	1.8	0.650	0.698	0.459	0.013	2.8	0.434	0.484	1,553
Uttar Pradesh	0.644	0.002	0.4	0.639	0.649	0.223	0.002	1.0	0.219	0.228	38,189
Uttarkhand	0.554	0.008	1.4	0.539	0.570	0.338	0.007	2.2	0.324	0.353	4,155
West Bengal	0.961	0.002	0.3	0.956	0.966	0.674	0.006	0.9	0.663	0.686	6,528


state	Full ANC					Unweighted (N)
	Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		
				R-1.96 SE	R+1.96 SE	
Andhra Pradesh	0.406	0.009	2.1	0.389	0.423	5,180
Assam	0.086	0.003	4.0	0.079	0.093	10,097
Bihar	0.046	0.002	3.7	0.043	0.049	21,633
Chandigarh	0.302	0.040	13.2	0.224	0.381	206
Chhattisgarh	0.137	0.005	4.0	0.127	0.148	6,233
Dadra Nagar H.	0.231	0.031	13.6	0.170	0.292	363
Daman & Diu	0.433	0.028	6.5	0.378	0.488	633
Delhi	0.336	0.013	3.9	0.310	0.361	2,503
Goa	0.908	0.014	1.6	0.881	0.936	407
Gujarat	0.199	0.006	3.1	0.187	0.212	7,603
Haryana	0.133	0.005	3.9	0.123	0.143	6,857
Himachal Pradesh	0.314	0.012	3.7	0.291	0.337	2,594
J& Kashmir	0.290	0.008	2.7	0.275	0.306	5,237
Jharkhand	0.091	0.004	4.4	0.083	0.099	11,474
Karnataka	0.511	0.007	1.4	0.497	0.525	7,749
Kerala	0.723	0.009	1.2	0.706	0.739	3,335
Lakshadweep	0.678	0.030	4.4	0.619	0.736	475
Madhya Pradesh	0.086	0.003	3.2	0.081	0.091	16,111
Maharashtra	0.339	0.006	1.7	0.328	0.350	10,420
Meghalaya	0.145	0.009	6.5	0.126	0.163	3,144
Mizoram	0.330	0.012	3.7	0.306	0.353	2,959
Orissa	0.233	0.006	2.5	0.222	0.245	7,793
Puducherry	0.486	0.024	4.9	0.439	0.532	935
Punjab	0.143	0.006	3.9	0.132	0.154	5,739
Rajasthan	0.066	0.003	4.1	0.060	0.071	12,573
Sikkim	0.275	0.013	4.7	0.249	0.300	1,450
Tamil Nadu	0.518	0.008	1.5	0.503	0.533	6,563
Tripura	0.133	0.011	8.2	0.111	0.154	1,553
Uttar Pradesh	0.033	0.001	3.2	0.031	0.035	38,189
Uttarkhand	0.156	0.008	5.1	0.140	0.171	4,155
West Bengal	0.196	0.006	3.2	0.184	0.208	6,528

state	Full Immunization					Measles					Unweighted (N)
	Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		
				R-1.96 SE	R+1.96 SE				R-1.96 SE	R+1.96 SE	
Andhra Pradesh	0.685	0.012	1.8	0.647	0.695	0.886	0.008	0.9	0.870	0.902	1,527
Assam	0.510	0.010	1.9	0.490	0.527	0.644	0.009	1.4	0.627	0.662	2,784
Bihar	0.414	0.006	1.4	0.403	0.426	0.542	0.006	1.1	0.530	0.554	6,968
Chandigarh	0.731	0.066	9.0	0.601	0.860	0.873	0.053	6.0	0.770	0.977	56
Chhattisgarh	0.608	0.011	1.9	0.571	0.616	0.799	0.009	1.2	0.780	0.817	1,850
Dadra Nagar H.	0.523	0.056	9.8	0.463	0.683	0.844	0.040	4.7	0.766	0.923	106
Daman & Diu	0.835	0.026	3.0	0.805	0.906	0.909	0.021	2.3	0.867	0.950	186
Delhi	0.677	0.017	2.6	0.642	0.709	0.831	0.014	1.7	0.804	0.858	739
Goa	0.886	0.028	3.1	0.843	0.953	0.941	0.022	2.3	0.899	0.984	115
Gujarat	0.555	0.010	1.9	0.529	0.569	0.727	0.009	1.3	0.709	0.745	2,371
Haryana	0.518	0.011	1.8	0.575	0.618	0.691	0.010	1.5	0.671	0.711	2,111
Himachal Pradesh	0.826	0.014	1.7	0.797	0.850	0.945	0.008	0.9	0.929	0.961	775
J& Kashmir	0.630	0.012	2.0	0.600	0.649	0.814	0.010	1.2	0.794	0.834	1,505
Jharkhand	0.548	0.009	1.6	0.524	0.558	0.705	0.008	1.1	0.690	0.721	3,380
Karnataka	0.768	0.009	1.1	0.750	0.784	0.851	0.007	0.9	0.837	0.866	2,305
Kerala	0.790	0.013	1.7	0.769	0.821	0.880	0.011	1.2	0.858	0.901	914
Lakshadweep	0.869	0.033	3.8	0.797	0.925	0.920	0.026	2.8	0.869	0.971	119
Madhya Pradesh	0.385	0.007	1.9	0.349	0.376	0.577	0.007	1.2	0.563	0.591	4,762
Maharashtra	0.693	0.008	1.2	0.675	0.708	0.845	0.006	0.8	0.832	0.858	3,111
Meghalaya	0.343	0.017	4.9	0.305	0.370	0.525	0.018	3.3	0.490	0.559	818
Mizoram	0.553	0.019	3.5	0.508	0.582	0.804	0.015	1.9	0.774	0.833	697
Orissa	0.631	0.010	1.6	0.605	0.644	0.811	0.008	1.0	0.795	0.827	2,337
Puducherry	0.806	0.022	2.6	0.792	0.878	0.942	0.014	1.4	0.915	0.969	290
Punjab	0.789	0.010	1.2	0.778	0.817	0.891	0.008	0.9	0.876	0.906	1,661
Rajasthan	0.500	0.008	1.7	0.472	0.504	0.675	0.008	1.2	0.660	0.691	3,585
Sikkim	0.779	0.021	2.7	0.737	0.820	0.925	0.013	1.4	0.899	0.952	390
Tamil Nadu	0.816	0.009	1.1	0.801	0.835	0.956	0.005	0.5	0.946	0.965	2,001
Tripura	0.385	0.024	6.2	0.338	0.432	0.518	0.025	4.7	0.470	0.566	414
Uttar Pradesh	0.311	0.004	1.4	0.295	0.311	0.470	0.005	1.0	0.461	0.479	11,990
Uttarkhand	0.633	0.013	2.1	0.603	0.655	0.821	0.011	1.3	0.801	0.842	1,334
West Bengal	0.758	0.010	1.3	0.739	0.778	0.829	0.009	1.1	0.812	0.846	1,822


state	Institutional Delivery					Safe Delivery					Unweighted (N)
	Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		Value (R)	Sampling error (SE)	Relative Error (%)	95% Conf. Interval		
				R-1.96 SE	R+1.96 SE				R-1.96 SE	R+1.96 SE	
Andhra Pradesh	0.718	0.006	0.9	0.706	0.730	0.756	0.006	0.8	0.747	0.770	5,180
Assam	0.353	0.005	1.4	0.344	0.363	0.409	0.005	1.2	0.397	0.416	10,097
Bihar	0.277	0.003	1.1	0.271	0.283	0.319	0.003	1.0	0.315	0.327	21,633
Chandigarh	0.736	0.030	3.9	0.703	0.819	0.785	0.027	3.4	0.756	0.863	206
Chhattisgarh	0.181	0.005	2.7	0.171	0.190	0.296	0.006	2.0	0.285	0.308	6,233
Dadra Nagar H.	0.486	0.026	6.0	0.388	0.491	0.600	0.026	5.8	0.402	0.605	363
Daman & Diu	0.640	0.019	3.0	0.602	0.678	0.694	0.019	2.7	0.658	0.731	633
Delhi	0.686	0.009	1.4	0.669	0.705	0.718	0.009	1.3	0.700	0.736	2,503
Goa	0.963	0.009	1.0	0.945	0.982	0.978	0.009	0.9	0.949	0.984	407
Gujarat	0.565	0.006	1.0	0.553	0.576	0.621	0.006	0.9	0.610	0.632	7,603
Haryana	0.469	0.006	1.3	0.457	0.481	0.534	0.006	1.1	0.522	0.546	6,857
Himachal Pradesh	0.482	0.010	2.0	0.463	0.502	0.510	0.010	1.9	0.490	0.529	2,594
J& Kashmir	0.558	0.007	1.3	0.537	0.564	0.593	0.007	1.2	0.577	0.604	5,237
Jharkhand	0.178	0.004	2.0	0.170	0.185	0.250	0.004	1.6	0.243	0.259	11,474
Karnataka	0.651	0.005	0.8	0.640	0.662	0.715	0.005	0.7	0.709	0.729	7,749
Kerala	0.994	0.001	0.1	0.991	0.997	0.994	0.001	0.1	0.991	0.997	3,335
Lakshadweep	0.903	0.013	1.5	0.882	0.934	0.957	0.009	0.9	0.945	0.979	475
Madhya Pradesh	0.471	0.004	0.8	0.463	0.478	0.501	0.004	0.8	0.493	0.509	16,111
Maharashtra	0.636	0.005	0.7	0.626	0.645	0.694	0.005	0.7	0.685	0.703	10,420
Meghalaya	0.244	0.008	3.3	0.228	0.260	0.290	0.008	2.9	0.272	0.305	3,144
Mizoram	0.559	0.010	1.7	0.540	0.578	0.635	0.009	1.5	0.618	0.654	2,959
Orissa	0.443	0.006	1.3	0.431	0.454	0.509	0.006	1.1	0.502	0.524	7,793
Puducherry	0.991	0.003	0.3	0.985	0.997	0.994	0.003	0.3	0.988	0.999	935
Punjab	0.633	0.006	1.0	0.619	0.645	0.771	0.006	0.7	0.760	0.782	5,739
Rajasthan	0.455	0.004	1.0	0.446	0.464	0.527	0.004	0.8	0.519	0.537	12,573
Sikkim	0.498	0.013	2.7	0.472	0.525	0.569	0.013	2.3	0.543	0.595	1,450
Tamil Nadu	0.941	0.003	0.3	0.935	0.946	0.956	0.003	0.3	0.952	0.962	6,563
Tripura	0.463	0.013	2.8	0.438	0.488	0.473	0.013	2.7	0.449	0.499	1,553
Uttar Pradesh	0.245	0.002	0.9	0.241	0.250	0.301	0.002	0.8	0.298	0.308	38,189
Uttarkhand	0.300	0.007	2.4	0.286	0.314	0.355	0.007	2.1	0.340	0.369	4,155
West Bengal	0.492	0.006	1.3	0.479	0.504	0.516	0.006	1.2	0.505	0.530	6,528

INDIA

Trends in Institutional deliveries (%)



Trends in Contraceptive use (%)



For further information, please contact:

Additional Director General (Stat.)
Ministry of Health and Family Welfare
 Government of India
 Nirman Bhavan
 New Delhi 110 011
 Telephone: 011 -23061334
 Fax: 011 – 23061334
 Email: adg-mohfw@nic.in

Chief Director (Stat.)
Ministry of Health and Family Welfare
 Government of India
 Nirman Bhavan
 New Delhi 110 011
 Telephone: 011 -23062699
 Fax: 011 – 23062699
 Email: cdstat@nic.in

Director/Project Coordinator (DLHS -3)
International Institute for Population Sciences
 Deonar
 Mumbai 400088
 Telephone: 022 -25563254/5/6
 Fax: 022 -25563257, 25555895
 Email: rchpro@iips.net, director@iips.net
 Website: <http://www.rchiips.org>

International Institute for Population Sciences (IIPS) was the nodal agency for conducting DLHS-3 and Government of India provided funding for this survey.